



Anti-bacterial
Switch

INSPIRED BY YOUR HEALTH-FIRST MANTRA

You prioritize your family's health, hygiene and wellness more than anything else. Inspired, we've created anti-bacterial plates infused with silver ions, which do not let bacteria grow on the surface of switches and plates and accessories throughout its lifespan. One less reason to worry about germs being passed on at home. Live the advantage of a healthy home.

Myrius™

Switches - Classic white (Antibacterial Range)



Myrius™



Switches are ISI marked as per the latest IS 3854:1997
 First time in India- Unique Signature design.
 With Anti-Bacterial properties

Pack	Cat.Nos	Switches 6A 230V AC	No. of Modules
20/200	6 793 20	6A SW 1 way 1M White Anti-Bacterial	1
20/200	6 793 21	6A SW 2 way 1M White Anti-Bacterial	1
20/200	6 793 24	6A Bell Push 1M White Anti-Bacterial	1
Switches 16A 230V AC			
20/200	6 793 22	16A SW 1 way 1M White Anti-Bacterial	1
20/200	6 793 23	16A SW 2 way 1M White Anti-Bacterial	1
Sockets 240V AC			
Conforming to IS 1293 : 2019 Shuttered for Child Safety Shutter opens only with phase and neutral insertion simultaneously.			
10/100	6 793 26	Multistandard Socket, 2/3 Pin - 6/10/13A 250V AC 2 Pin -15A for 127V, 2M	2
20/200	6 793 27	6A 5 Pin Universal Socket 2M	2
10/100	6 793 28	6/16A Socket 2M	2
5/50	6 793 29	6/16A Socket 3M	3

Pack	Cat.Nos	Fan Regulators	No. of Modules
Fan Regulators with ISI mark Fan Regulators with ease of speed selection Fan Regulator models available to suite almost all Ceiling Fans			
10/100	6 793 25	Fan Regulator 120W 360 Degree 2M	2
TV sockets			
20/200	6 793 30	TV. Socket 1M Anti-Bacterial	1
Data & Voice			
20/200	6 793 31	RJ 11 Telephone Socket 1M Anti-Bacterial	1
20/200	6 793 32	RJ 45 CAT 6 UTP Anti-Bacterial 1M	1
Accessories			
40/400	6 793 33	Blanking plate 1M White Anti-Bacterial	1

Myrius™

Plates with frame



6 795 02

6 795 04



6 795 06

6 795 08

Pack	Cat.Nos	Plate Frame White	No. of Modules	Dimension (mm)
20/200	6 795 01	Plate+frame 1M White	1	86 x 86
20/200	6 795 02	Plate+frame 2M White	2	86 x 86
10/100	6 795 03	Plate+frame 3M White	3	86 x 121
10/100	6 795 04	Plate+frame 4M White	4	86 x 146
5/50	6 795 06	Plate+frame 6M White	6	86 x 224
5/50	6 795 08	Plate+frame 8M White	8	86 x 245
5/25	6 795 09	Plate+frame 2x4M White	2x4	172 x 146
5/50	6 795 10	Plate+frame 9M White	9	288 X 86
10	6 795 12	Plate+frame 12M White	12	172 x 224
10	6 795 16	Plate+frame 16M White	16	172 x 224
10	6 795 18	Plate+frame 18M White	18	240 x 224

Myrius™



6 795 22

6 795 23



6 795 24

6 795 28

Pack	Cat.Nos	Plate Frame Ice White	No. of Modules	Dimension (mm)
1/5/30	6 795 21	Plate+frame 1M Ice White	1	86 x 86
1/5/30	6 795 22	Plate+frame 2M Ice White	2	86 x 86
1/20	6 795 23	Plate+frame 3M Ice White	3	86 x 121
1/20	6 795 24	Plate+frame 4M Ice White	4	86 x 146
1/10	6 795 26	Plate+frame 6M Ice White	6	86 x 224
1/10	6 795 28	Plate+frame 8M Ice White	8	86 x 245
1/5	6 795 29	Plate+frame 2x4M Ice White	2x4	172 x 146
1/5	6 795 32	Plate+frame 12M Ice White	12	172 x 224
1/5	6 795 36	Plate+frame 16M Ice White	16	172 x 224
1/5	6 795 38	Plate+frame 18M Ice White	18	240 x 224

Myrius™

Plates with frame



6 795 42

6 795 44



6 775 46

6 795 48

Pack	Cat.Nos	Plate Frame Ice Black	No. of Modules	Dimension (mm)
1/5/30	6 795 41	Plate+frame 1M Ice Black	1	86 x 86
1/5/30	6 795 42	Plate+frame 2M Ice Black	2	86 x 86
1/20	6 795 43	Plate+frame 3M Ice Black	3	86 x 121
1/20	6 795 44	Plate+frame 4M Ice Black	4	86 x 146
1/10	6 795 46	Plate+frame 6M Ice Black	6	86 x 224
1/10	6 795 48	Plate+frame 8M Ice Black	8	86 x 245
1/5	6 795 49	Plate+frame 2x4M Ice Black	2x4	172 x 146
1/5	6 795 52	Plate+frame 12M Ice Black	12	172 x 224
1/5	6 795 56	Plate+frame 16M Ice Black	16	172 x 224
1/5	6 795 58	Plate+frame 18M Ice Black	18	240 x 224

Myrius™



6 795 62

6 795 64



6 795 66

6 795 68

Pack	Cat.Nos	Plate Frame Pearl Champagne	No. of Modules	Dimension (mm)
1/5/30	6 795 61	Plate+frame 1M Pearl Champagne	1	86 x 86
1/5/30	6 795 62	Plate+frame 2M Pearl Champagne	2	86 x 86
1/20	6 795 63	Plate+frame 3M Pearl Champagne	3	86 x 121
1/20	6 795 64	Plate+frame 4M Pearl Champagne	4	86 x 146
1/10	6 795 66	Plate+frame 6M Pearl Champagne	6	86 x 224
1/10	6 795 68	Plate+frame 8M Pearl Champagne	8	86 x 245
1/5	6 795 69	Plate+frame 2x4M Pearl Champagne	2x4	172 x 146
1/5	6 795 72	Plate+frame 12M Pearl Champagne	12	172 x 224
1/5	6 795 76	Plate+frame 16M Pearl Champagne	16	172 x 224
1/5	6 795 78	Plate+frame 18M Pearl Champagne	18	240 x 224

Myrius™

Plates with Frame



6 795 82

6 795 84



6 795 86

6 795 88

Pack	Cat.Nos	Plate Frame Sonic Silver	No. of Modules	Dimension (mm)
1/5/30	6 795 81	Plate+frame 1M Sonic Silver	1	86 x 86
1/5/30	6 795 82	Plate+frame 2M Sonic Silver	2	86 x 86
1/20	6 795 83	Plate+frame 3M Sonic Silver	3	86 x 121
1/20	6 795 84	Plate+frame 4M Sonic Silver	4	86 x 146
1/10	6 795 86	Plate+frame 6M Sonic Silver	6	86 x 224
1/10	6 795 88	Plate+frame 8M Sonic Silver	8	86 x 245
1/5	6 795 89	Plate+frame 2x4M Sonic Silver	2x4	172 x 146
1/5	6 795 92	Plate+frame 12M Sonic Silver	12	172 x 224
1/5	6 795 96	Plate+frame 16M Sonic Silver	16	172 x 224
1/5	6 795 98	Plate+frame 18M Sonic Silver	18	240 x 224

Myrius™



6 796 02

6 796 04



6 796 06

6 796 08

Pack	Cat.Nos	Plate Frame Dark Fade	No. of Modules	Dimension (mm)
1/5/30	6 796 01	Plate+frame 1M Dark Fade	1	86 x 86
1/5/30	6 796 02	Plate+frame 2M Dark Fade	2	86 x 86
1/20	6 796 03	Plate+frame 3M Dark Fade	3	86 x 121
1/20	6 796 04	Plate+frame 4M Dark Fade	4	86 x 146
1/10	6 796 06	Plate+frame 6M Dark Fade	6	86 x 224
1/10	6 796 08	Plate+frame 8M Dark Fade	8	86 x 245
1/5	6 796 09	Plate+frame 2x4M Dark Fade	2x4	172 x 146
1/5	6 796 12	Plate+frame 12M Dark Fade	12	172 x 224
1/5	6 796 16	Plate+frame 16M Dark Fade	16	172 x 224
1/5	6 796 18	Plate+frame 18M Dark Fade	18	240 x 224

Myrius™

Plates with frame



6 796 22

6 796 24



6 796 26

6 796 28

Pack	Cat.Nos	Plate Frame Interlude	No. of Modules	Dimension (mm)
1/5/30	6 796 21	Plate+frame 1M Interlude	1	86 x 86
1/5/30	6 796 22	Plate+frame 2M Interlude	2	86 x 86
1/20	6 796 23	Plate+frame 3M Interlude	3	86 x 121
1/20	6 796 24	Plate+frame 4M Interlude	4	86 x 146
1/10	6 796 26	Plate+frame 6M Interlude	6	86 x 224
1/10	6 796 28	Plate+frame 8M Interlude	8	86 x 245
1/5	6 796 29	Plate+frame 2x4M Interlude	2x4	172 x 146
1/5	6 796 32	Plate+frame 12M Interlude	12	172 x 224
1/5	6 796 36	Plate+frame 16M Interlude	16	172 x 224
1/5	6 796 38	Plate+frame 18M Interlude	18	240 x 224

Myrius™



6 796 42

6 796 44



6 796 46

6 796 48

Pack	Cat.Nos	Plate Frame Trinity	No. of Modules	Dimension (mm)
1/5/30	6 796 41	Plate+frame 1M Trinity	1	86 x 86
1/5/30	6 796 42	Plate+frame 2M Trinity	2	86 x 86
1/20	6 796 43	Plate+frame 3M Trinity	3	86 x 121
1/20	6 796 44	Plate+frame 4M Trinity	4	86 x 146
1/10	6 796 46	Plate+frame 6M Trinity	6	86 x 224
1/10	6 796 48	Plate+frame 8M Trinity	8	86 x 245
1/5	6 796 49	Plate+frame 2x4M Trinity	2x4	172 x 146
1/5	6 796 52	Plate+frame 12M Trinity	12	172 x 224
1/5	6 796 56	Plate+frame 16M Trinity	16	172 x 224
1/5	6 796 58	Plate+frame 18M Trinity	18	240 x 224

Myrius™

Plates with frame



6 796 62

6 796 64



6 796 66

6 796 68

Pack	Cat.Nos	Plate Frame Luminar	No. of Modules	Dimension (mm)
1/5/30	6 796 61	Plate+frame 1M Luminar	1	86 x 86
1/5/30	6 796 62	Plate+frame 2M Luminar	2	86 x 86
1/20	6 796 63	Plate+frame 3M Luminar	3	86 x 121
1/20	6 796 64	Plate+frame 4M Luminar	4	86 x 146
1/10	6 796 66	Plate+frame 6M Luminar	6	86 x 224
1/10	6 796 68	Plate+frame 8M Luminar	8	86 x 245
1/5	6 796 69	Plate+frame 2x4M Luminar	2x4	172 x 146
1/5	6 796 72	Plate+frame 12M Luminar	12	172 x 224
1/5	6 796 76	Plate+frame 16M Luminar	16	172 x 224
1/5	6 796 78	Plate+frame 18M Luminar	18	240 x 224

Myrius™



6 796 82

6 796 84



6 796 86

6 796 88

Pack	Cat.Nos	Plate Frame Stellar	No. of Modules	Dimension (mm)
1/5/30	6 796 81	Plate+frame 1M Stellar	1	86 x 86
1/5/30	6 796 82	Plate+frame 2M Stellar	2	86 x 86
1/20	6 796 83	Plate+frame 3M Stellar	3	86 x 121
1/20	6 796 84	Plate+frame 4M Stellar	4	86 x 146
1/10	6 796 86	Plate+frame 6M Stellar	6	86 x 224
1/10	6 796 88	Plate+frame 8M Stellar	8	86 x 245
1/5	6 796 89	Plate+frame 2x4M Stellar	2x4	172 x 146
1/5	6 796 92	Plate+frame 12M Stellar	12	172 x 224
1/5	6 796 96	Plate+frame 16M Stellar	16	172 x 224
1/5	6 796 98	Plate+frame 18M Stellar	18	240 x 224

Plates with frame (antibacterial range)



6 793 42



6 793 44



6 793 46



6 793 48

Pack	Cat.Nos	Plate Frame Anti-Bacterial		No. of Modules	Dimension (mm)
20/200	6 793 41		Plate+frame 1M Anti-Bacterial	1	86 x 86
20/200	6 793 42		Plate+frame 2M Anti-Bacterial	2	86 x 86
10/100	6 793 43		Plate+frame 3M Anti-Bacterial	3	86 x 121
10/100	6 793 44		Plate+frame 4M Anti-Bacterial	4	86 x 146
5/50	6 793 46		Plate+frame 6M Anti-Bacterial	6	86 x 224
5/50	6 793 48		Plate+frame 8M Anti-Bacterial	8	86 x 245
5/25	6 793 49		Plate+frame 2x4M Anti-Bacterial	2x4	172 x 146
5/50	6 793 50		Plate+frame 9M Anti-Bacterial	9	288 X 86
10	6 793 52		Plate+frame 12M Anti-Bacterial	12	172 x 224
10	6 793 56		Plate+frame 16M Anti-Bacterial	16	172 x 224
10	6 793 58		Plate+frame 18M Anti-Bacterial	18	240 x 224

Myrius™

Mounting Boxes



Pack	Cat.Nos	Metal Flush Boxes	
40	6 890 07		Flush Box - 1/2 Module
40	6 890 08		Flush Box - 3 Module
40	6 890 09		Flush Box - 4 Module
40	6 890 10		Flush Box - 6 Module
40	6 890 42		Flush Box - 8 Module
20	6 890 31		Flush Box - 8 Module (2 row x 4)
10	6 890 11		Flush Box - 12/16 (2 row x 6) Module
10	6 890 12		Flush Box - 18 Module

No. of Modules

1/2
3
4
6
8
8
12/16
18

Myrius™

Plastic and metal surface boxes



Pack	Cat.Nos	Plastic Surface Boxes	
10/50	6 733 02		Surface Box - 1/2 Module
5/35	6 733 03		Surface Box - 3 Module
5/25	6 733 04		Surface Box - 4 Module
1/10	6 733 06		Surface Box - 6 Module
1/5	6 733 08		Surface Box - 8 Module
1/5	6 733 05		Surface Box - 8 (2 row x 4) Module
1/6	6 890 21		Surface Box - 12/16 (2 row x 6) Module
1/4	6 890 22		Surface Box - 18 Module

No. of Modules

1/2
3
4
6
8
8
12/16
18

Metal Surface Boxes

S M A R T A R T E O R™

MAKE YOUR HOME TRULY YOURS



Arteor™

THE SMART RADIO SOLUTION

Arteor is a radio-based solution for the connected home. The intelligent products communicate with one another via radio ZigBee 3.0 (2.4 GHz waveband). This means there is no need for specific or extensive cabling. Also, although the range only contains a few products, these can be used to create lots of individual solutions for a more customised feel at home.

SIMPLE, ADAPTABLE, OPEN

Radio-based Arteor has been designed and developed as a simple solution to make every house more individual, convenient and secure. Simple for planners, who are able to integrate many useful functions without having to provide for complicated cabling. Simple for installers, who are able to install the system without a great deal of effort or specialist knowledge. Simple for users, who will find it convenient to operate, easy to extend and are able to make changes at any time.




APP CONTROL FOR EASE OF USE

All functions in an Arteor product's installation can also comfortably be controlled on your smartphone or tablet: switching individual lights/fan on or off, controlling roller blinds, curtains and electrical appliances or triggering more complex scenarios - using the app, you have everything under control. You are always connected to your home, wherever you are.

VOICE CONTROL

Using voice commands, the installation can be managed without lifting a finger.



FEW COMPONENTS – LOTS OF OPTIONS

The system consists of only a few simple components. The 'Gateway Kit' that needs to be installed to start, connected controls which trigger actions, such as controlling lights/fan, roller blinds and electrical appliances and wireless, battery powered controls. They manage scenarios, create centralised functions and allow remote control of individual functions.


CONNECTED WIRED PRODUCTS

The wired products are installed in the same way as conventional components and then paired with the wireless switches (which can be positioned anywhere) via the ZigBee 3.0 (2.4 Ghz waveband). Thanks to the dynamic mesh network, all functions can easily be reconfigured at any time. It is also easy to add extra modules.

WIRELESS CONTROLS


Wireless light and roller blind switches are used to extend the installation and enable individual, group-based or centralized remote control of lighting and roller blinds. They are adaptable to take into account evolutions of the installation over time.

Wireless scenario controls are used to activate pre-programmed, more complex scenarios that enhance comfort when you wake up in the morning or go to bed at night, leave the house or come home.




FUNCTIONS

LIGHT



Connected light switches with dimmer option (2 module), Connected light switches (2x1 module), Micromodule switch

CURTAINS/ROLLER BLINDS



Connected curtain/roller blind switches 2 x1 module

ENERGY



Connected socket outlet module



Wireless 1-gang light switches



Curtain/roller blind wireless switches

The Home + Control App, which can be used to control the system via smartphone and tablet, is available for devices with Android and iOS. Download it for free from your usual app stores.



**Home +
Control App**

AS INDIVIDUAL AS YOU ARE

FUNCTIONALITY MEETS DESIGN

The Arteor range of products doesn't only offer individual responses to all user requirements in terms of functionality. It also adds a touch of style to the overall look and feel of the house. Arteor finishes blend in perfectly to any kind of living environment.



SCENARIOS

Increase comfort through pre-programmed life scenes, such as Wake up/Sleep or Home/Away.




ROLLER BLINDS/CURTAINS

For convenient individual or central control of roller blinds. Can be controlled locally or remotely.



CONNECTED SOCKET OUTLETS

Allow remote control of electrical appliances, measure instantaneous consumption, monitor daily or monthly consumption and to be alerted with smart notifications.




LIGHT

Convenient control of lights with connected wired and wireless switches, with or without dimmer option.



TRADITIONAL SWITCH




E A S Y INSTALLATION

IN NEW AND RENOVATED PREMISES

5 STEPS TO A CONNECTED HOME

1




After installing all wired devices, switch on power and all LEDs will light up in red.

2





Press the master switch at its centre for 5 seconds.

3



The LEDs now light up in green, showing that your network has been created.



CONNECTED SWITCH

The Arteor range of products is a radio solution, requiring no extra wiring as it uses the existing infrastructure. This makes it the ideal choice for upgrading an existing installation into a connected home. But for new building projects, too, it offers definite advantages, as its simple installation cuts effort to a minimum.

4



5



After a short press on the master switch, all the LEDs turn off.

To pair them, press on the wireless switch you wish to pair, while tapping it three times onto the wired devices you wish to control. The LED's blue light tells you that the pairing was successful.

METAL FINISHES

Our metal finishes offer a handcrafted, textured look, which allows for interplay between light and shadow. They bring the rooms they are placed in to life while retaining an element of prestige and sophistication.



STAINLESS STEEL



GOLD BRASS



STAINLESS STEEL



GOLD BRASS

BAROQUE FINISHES

The renaissance signaled the rebirth of art, culture, science and architecture in Europe. The intricate, and heavily ornate art of the period continues to inspire to this day. Our Silver Baroque and Dark Baroque finishes are an ode to the past, and a herald for a better, technological future.



SILVER BAROQUE



SILVER BAROQUE



DARK BAROQUE



DARK BAROQUE

DESIGNED FOR DECADENCE


Why follow trends when you can set them? 'Grey Oak', and 'Cube' take the best aspects of modern design and elevate them to ensure that function and form blend seamlessly with stunning aesthetics. Inspired by our surroundings, but clearly a cut ahead, these incredible finishes turn heads and lights on with equal ease.



CUBE



GREY OAK



Both 'Grey Oak' and 'Cube' offer an impression of discretion and technical sophistication. Chromed metal accents reinforce the image of a prestigious product. A beveled profile ensures an on-trend slimline look.

USB CHARGERS

Conveniently placed USB chargers at home allow you to charge your mobile devices easily wherever it's handy: near the sofa, by the bedside or in the kitchen. Arteor has a suitable solution for every kind of mobile device – including the new generation with USB C-Type connection, of course.



Double USB Charger (2M)



USB Charger (1M)



These modular charging sockets with USB charging port comply with IEC 60950-1 and IS 13252 (part 1). Aesthetically pleasant, they can be used to charge any mobile device, both at work and at home.

INSPIRED AESTHETICS

FINISHES FOR EVERY PALETTE

NEUTRAL



White

Pearl Alu

Graphite



Magnesium

Champagne

Dark Bronze

METAL



SIGNATURE



WOOD



Gold Brass

Stainless Steel

Cube

Grey Oak

MIRROR



Mirror Black

Mirror White

Green Apple

GRAPHIC



Casual

Dark Baroque

Silver Baroque



WHITE SOLUTION.

White in every detail.

My desire to follow the most sophisticated home decor trends.



Axolute White,
rocker control





White glass,
digital control



Axolute White,
rocker controls




White plate,
rocker control



Tech plate,
rocker controls



White plate,
rocker controls





Nighter plate,
rocker controls



Nighter plate,
digital controls

STONES.

My senses are fulfilled by the physical nature of slate and Carrara marble, noble materials that lend prestige to my living spaces.



Carrara marble,
rocker controls



Slate,
rocker controls

LEATHERS.

My original selection of leathers in light-sand and dark-coffee tones, for a sophisticated saddlery design.




Sand leather,
Soft Touch



Coffee leather,
Soft Touch

WOODS.

My taste for elegant cabinet-making and the richly sumptuous finish of teak, wenge, maple, cherry and walnut.



Ashwood,
rocker controls



Wenge,
rocker controls

GLASSES.

My fascination for sand transformed into glass: used in rectangular shapes and flat glass panes, with diamond cut edges.



Night black glass,
rocker controls



Evening blue glass,
rocker controls

METALS.

My choice among light aluminium, supply shaped zinc and stainless steel, its convex design developed together with Alessi.



Alessi glossy steel,
rocker control



Alessi matt steel,
rocker control



My freedom to build plates with the material that expresses my personal style.




PERSONAL SOLUTIONS.














Total personalisation.

My desire to define a plate exactly as I want it, or select one from the "Graniti Fiandre" finishes.

Lyncus™

Electronic function (contd.)



Pack	Cat.Nos									
		Loud speakers								
1/6	6 772 98	<p>Compact 10W RMS easy hooking intallation 86db high sensitivity Ideal for living room, kitchen, Bedroom, offices, canteen</p>  Loudspeaker for false ceiling & plaster board 8 Ohms 10 W rms	No. of modules	-						
		Sound diffusion								
1/10/100	6 772 99#	<p>Bluetooth tested as per international standards Voice messages for easy uderstanding Compact 2 M design with all control functions Inbuilt amplifier, 1.5 WRMS with 8ohms Ideal for living room, kitchen, Bedroom, offices, canteen... Greater than 8 m range</p>  Bluetooth sound diffusion	No. of modules	2						
		Rotary dimmer universal								
1/10/120	6 773 04	<p>First time in India-High quality universal dimmer for all type of light loads including LED loads Comes in 1 module</p>  Rotary LED light dimmer 50 W	No. of modules	1						
		Touch switches								
1/50	6 773 09	 6 A Touch switch 1 W	No. of modules	2						
1/50	6 773 10	 6 A Touch switch 2 W	No. of modules	2						
1/50	6 773 13	 16 A Touch switch 1 W	No. of modules	2						
1/50	6 773 06	 6 A Touch bell push	No. of modules	2						
		Touch regulator & dimmer								
		<p>5 step touch fan regulator Universal scroll type light dimmer for all type of loads</p>								
					1/50	6 773 05	 Touch fan regulator 100 W	No. of modules	2	
					1/50	6 773 15	 300 W Universal LED touch dimmer with scroll dimming	No. of modules	2	
		Reading light								
		<p>Modular & Flexible handy light with brightness adjustment Ideal for bedside or table wall installation Warm white light for comfortable reading</p>								
					1/12	6 773 16	 Reading LED light (warm white)	No. of modules	2	
		Accessories								
					20/200	6 772 75	 Cable outlet 8 mm	No. of modules	1	
					20/200	6 772 76	 Blanking plate	No. of modules	1	
					10/100	6 772 77	 Blanking plate	No. of modules	2	

To be introduced shortly



Switches are ISI marked as per the latest IS 3854:1997
First time in India- Unique Signature design

Pack	Cat.Nos	Switches 6 A 230 V AC
20/200	6 774 00	6 A Switch 1 W
20/200	6 774 01	6 A Switch 2 W
20/200	6 774 02	6 A Switch 1 W with indicator
20/200	6 774 03	6 A Switch 1 W with "Light" marking
20/200	6 774 04	6 A Switch 1 W with "Fan" marking

Pack	Cat.Nos	Switches 10 A 230 V AC
10/100	6 774 05	10 A Switch 1 W
10/100	6 774 06	10 A Switch 2 W
10/100	6 774 07	10 A Intermediate switch
10/100	6 774 08	10 A Switch 1W With indicator

Pack	Cat.Nos	Switches 16 A 230 V AC
20/200	6 774 09	16 A Switch 1 W
20/200	6 774 10	16 A Switch 2 W
20/200	6 774 11	16 A Switch 1 W with indicator

No. of modules

- 1
- 1
- 1
- 1
- 1
- 2
- 2
- 2
- 2
- 1
- 1
- 1

Switches 20 A 230 V AC

20/200	6 774 12	20 A Switch 1 W
10/100	6 774 13	20 A DP Switch 1 W
10/100	6 774 14	20 A DP Switch 1 W with indicator
10/100	6 774 15	20 A Switch 2 W

Switches 25 A 230 V AC

20/200	6 774 16	25 A SP 1 W switch with indicator
--------	----------	-----------------------------------

Switches 32 A 230 V AC

10/100	6 774 17	32 A DP switch with indicator
--------	----------	-------------------------------

No. of modules

- 1
- 2
- 2
- 2
- 1
- 2

Lyncus™

Push buttons



6 774 18 6 774 19 6 774 20 6 774 21 6 774 22 6 774 23

Pack	Cat.Nos	Push button 6 A 230 V AC
20/200	6 774 18	6 A Push button SP
20/200	6 774 19	6 A Push button SP with indicator
20/200	6 774 20	6 A Bell push
20/200	6 774 21	6 A Bell push with indicator
10/100	6 774 22	6 A Bell push
10/100	6 774 23	6 A Bell push with indicator

No. of modules
1
1
1
1
2
2

Lyncus™

Sockets



6 774 27 6 774 28 6 774 29 6 774 31

Pack	Cat.Nos	Sockets 240 V AC
		Conforming to IS 1293 : 1988 Shuttered for Child Safety Shutter opens only with phase and neutral insertion simultaneously.
20/200	6 774 25	6/16 A 2 Pin Euro US socket
10/100	6 774 27	Multistandard socket 6/10/13 A 2/3 Pin for 250 V AC 15A for 127 V Type 2 Pin
20/200	6 774 28	6 A 5 Pin universal socket
5/50	6 774 29	6/16 A Socket
10/100	6 774 30	6/16 A Socket
10/100	6 774 31	6/16 A Euro socket

No. of modules
1
2
2
3
2
2

Lyncus™

Fan regulator and dimmer



6 774 37



6 774 39

Dimmers and fan regulators

Fan regulators with ISI mark
 Fan regulators with ease of speed selection
 Fan regulator models available to suite all ceiling fans
 High capacity sturdy design light dimmers

Pack	Cat.Nos		No. of modules
5/50	6 774 36	Rotary light dimmer 400 W	1
10/100	6 774 37	Rotary light dimmer 500 W	2
5/50	6 774 39	Fan step regulator 100 W	1
10/100	6 774 40	Fan step regulator 100 W 360 degree	2
10/100	6 774 41	Fan step regulator 120 W 360 degree	2
1/10/100	6 774 42	Fan step regulator 70 W	2

Lyncus™

Skirting light, bell call indicators, buzzer, remote unit



6 774 48



6 774 49



6 774 50



6 773 03

Skirting light

Pack	Cat.Nos		No. of modules
5/25	6 774 48	LED Skirting light	3
20/200	6 774 49	Bell call indicator 240 V AC	1
20/200	6 774 50	Buzzer 230 V AC	1
1/5/20	6 774 52	Remote control unit for light & fan	4
1/5/30	6 773 03	Remote control hand unit	-

Bell call indicator

Buzzer

Remote unit

Sleek, high quality, modular 4 switch remote unit
 Suitable for all type of loads

Lyncus™

Hospitality functions



Pack	Cat.Nos	Hotel keycard switch	No. of modules
1/10	6 774 53	16 A Key card switch Suitable for all type of loads Isolated contacts for switch function	2
10/100	6 772 55	16 A Key card switch Credit card size Key fob	-
10/100	6 774 56	Hotel "DND and MMR" functions DND & MMR indicator with bell push	2
10/100	6 774 57	Internal control unit for DND & MMR	2
1/16	6 774 58	Shaver socket Compact design for modular installation Ease for voltage selection Shaver socket 115/230 V MonoBlock with plate	2

Lyncus™

Sockets and connectors



Pack	Cat.Nos	TV sockets	No. of modules
20/200	6 774 60	TV coaxial socket	1
20/200	6 774 62	Data & voice Telephone socket RJ11	1
20/200	6 774 63	Telephone socket double RJ11	1
20/200	6 774 64	RJ45 Cat 5 UTP	1
20/200	6 774 65	RJ45 Cat 6 UTP	1
1/10	6 774 67	Audio Video connectors Used to transmit high-definition digital/analog audio/video streams between a source (Blu-ray player, computer) and a compatible receiver (TV, LCD video projector...) Preterminated audio video connector	1
1/10	6 774 68	Preterminated HDMI socket	1
1/10	6 774 69	Preterminated projector connector	1
1/10/100	6 774 70	Sound (Volume controller) Suitable for 8 Ohms, 3 watts (RMS) speaker	2



6 774 88 6 774 89 6 774 90

Pack	Cat.Nos	USB chargers (IS13252 (Part 1) / IEC-60950-1)
		Complete family of USB chargers available First time in India - USB C type Charger for fast charging With mandatory CRS marking
1/5/50	6 774 88	USB Charger 1000 mA Type A
1/10/100	6 774 89	Double USB Charger 3000 mA Type A & Type C
1/5/50	6 774 90	USB Charger 1500 mA Type C

Pack	Cat.Nos	Combi (Socket + USB)
		Combi USB tested for optimum operation with high output efficiency
1/5/50	6 774 92	Combi twin USB 2400 mA multistandard socket Type A
1/5/50	6 774 94	Combi twin USB 2400 mA multistandard socket Type A & Type C

No. of modules

1

2

1

3

3



6 774 24 6 774 75 6 774 76

Pack	Cat.Nos	Sound diffusion
		Bluetooth tested as per international standards Voice messages for easy understanding Compact 2M design with all control functions Inbuilt amplifier, 1.5 WRMS with 8ohms Ideal for living room, kitchen, Bedroom, offices, canteen... Greater than 8m range
1/10/100	6 774 99*	Bluetooth sound diffusion
		Rotary dimmer universal First time in India-High quality universal dimmer for all type of light loads including LED loads Comes in 1 module
1/10/120	6 774 24	Rotary LED dimmer 50 W
		Accessories
20/200	6 774 75	Cable outlet 8 mm
20/200	6 774 76	Blanking plate

No. of modules

2

1

1

1

To be introduced shortly

Lyncus™

Plate with frame



6 775 02

6 775 04



6 775 06

6 775 08



6 775 22

6 775 24



6 775 26

6 775 28

Pack	Cat.Nos	Plate frame white	No. of modules	Dimension (mm)
20/200	6 775 01	Classic white plate + frame	1	86 x 86
20/200	6 775 02	Classic white plate + frame	2	86 x 86
10/100	6 775 03	Classic white Plate + Frame	3	86 x 121
10/100	6 775 04	Classic white Plate + Frame	4	86 x 146
5/50	6 775 06	Classic white Plate + Frame	6	86 x 224
5/50	6 775 08	Classic white Plate + Frame(H)	8	86 x 245
5/25	6 775 09	Classic white Plate + Frame	2x4	172 x 146
10	6 775 12	Classic white Plate + Frame	12	172 x 224
10	6 775 16	Classic white Plate + Frame	16	172 x 224
10	6 775 18	Classic white Plate + Frame	18	240 x 224

Pack	Cat.Nos	Plate frame chic grey	No. of modules	Dimension (mm)
20/200	6 775 21	Chic grey plate + Frame	1	86 x 86
20/200	6 775 22	Chic grey plate + Frame	2	86 x 86
10/100	6 775 23	Chic grey plate + Frame	3	86 x 121
10/100	6 775 24	Chic grey plate + Frame	4	86 x 146
5/50	6 775 26	Chic grey plate + Frame	6	86 x 224
5/50	6 775 28	Chic grey plate + Frame (H)	8	86 x 245
5/25	6 775 29	Chic grey plate + Frame	2x4	172 x 146
10	6 775 32	Chic grey plate + Frame	12	172 x 224
10	6 775 36	Chic grey plate + Frame	16	172 x 224
10	6 775 38	Chic grey plate + Frame	18	240 x 224



6 775 42



6 775 44



6 775 46



6 775 48



6 775 62



6 775 64



6 775 66



6 775 68

Pack	Cat.Nos	Plate frame brushed	No. of modules	Dimension (mm)
20/200	6 775 41	Brushed silver plate + Frame	1	86 x 86
20/200	6 775 42	Brushed silver plate + Frame	2	86 x 86
10/100	6 775 43	Brushed silver plate + Frame	3	86 x 121
10/100	6 775 44	Brushed silver plate + Frame	4	86 x 146
5/50	6 775 46	Brushed silver plate + Frame	6	86 x 224
5/50	6 775 48	Brushed silver plate + Frame (H)	8	86 x 245
5/25	6 775 49	Brushed silver plate + Frame	2x4	172 x 146
10	6 775 52	Brushed silver plate + Frame	12	172 x 224
10	6 775 56	Brushed silver plate + Frame	16	172 x 224
10	6 775 58	Brushed silver plate + Frame	18	240 x 224

Pack	Cat.Nos	Plate frame Alu sun set	No. of modules	Dimension (mm)
20/200	6 775 61	Alu sun set plate + Frame	1	86 x 86
20/200	6 775 62	Alu sun set plate + Frame	2	86 x 86
10/100	6 775 63	Alu sun set plate + Frame	3	86 x 121
10/100	6 775 64	Alu sun set plate + Frame	4	86 x 146
5/50	6 775 66	Alu sun set plate + Frame	6	86 x 224
5/50	6 775 68	Alu sun set plate + Frame	8	86 x 245
5/25	6 775 69	Alu sun set plate + Frame	2x4	172 x 146
10	6 775 72	Alu sun set plate + Frame	12	172 x 224
10	6 775 76	Alu sun set plate + Frame	16	172 x 224
10	6 775 78	Alu sun set plate + Frame	18	240 x 224

Lyncus™

Plate with frame




6 775 82

6 775 84



6 775 86

6 775 88



6 776 02

6 776 04



6 776 06

6 776 08

Pack	Cat.Nos	Plate frame champagne	No. of modules	Dimension (mm)
20/200	6 775 81	Champagne plate + Frame	1	86 x 86
20/200	6 775 82	Champagne plate + Frame	2	86 x 86
10/100	6 775 83	Champagne plate + Frame	3	86 x 121
10/100	6 775 84	Champagne plate + Frame	4	86 x 146
5/50	6 775 86	Champagne plate + Frame	6	86 x 224
5/50	6 775 88	Champagne plate + Frame (H)	8	86 x 245
5/25	6 775 89	Champagne plate + Frame	2x4	172 x 146
10	6 775 92	Champagne plate + Frame	12	172 x 224
10	6 775 96	Champagne plate + Frame	16	172 x 224
10	6 775 98	Champagne plate + Frame	18	240 x 224

Pack	Cat.Nos	Plate frame matt silver	No. of modules	Dimension (mm)
20/200	6 776 01	Matt silver plate + Frame	1	86 x 86
20/200	6 776 02	Matt silver plate + Frame	2	86 x 86
10/100	6 776 03	Matt silver plate + Frame	3	86 x 121
10/100	6 776 04	Matt silver plate + Frame	4	86 x 146
5/50	6 776 06	Matt silver plate + Frame	6	86 x 224
5/50	6 776 08	Matt silver plate + Frame (H)	8	86 x 245
5/25	6 776 09	Matt silver plate + Frame	2x4	172 x 146
10	6 776 12	Matt silver plate + Frame	12	172 x 224
10	6 776 16	Matt silver plate + Frame	16	172 x 224
10	6 776 18	Matt silver plate + Frame	18	240 x 224

Lyncus™

Mounting boxes



Pack	Cat.Nos	Metal flush boxes		No. of modules
40	6 890 07		Flush box - 1/2 module	1/2
40	6 890 08		Flush box - 3 module	3
40	6 890 09		Flush box - 4 module	4
40	6 890 10		Flush box - 6 module	6
40	6 890 42		Flush box - 8 module	8
20	6 890 31		Flush box - 8 module (2 row x 4)	8
10	6 890 11		Flush box - 12/16 (2 row x 6) module	12/16
10	6 890 12		Flush box - 18 module	18

Lyncus™

Plastic and metal surface boxes



Pack	Cat.Nos	Plastic surface boxes		No. of modules
10/50	6 733 02		Surface box - 1/2 module	1/2
5/35	6 733 03		Surface box - 3 module	3
5/25	6 733 04		Surface box - 4 module	4
1/10	6 733 06		Surface box - 6 module	6
1/5	6 733 08		Surface box - 8 module	8
1/5	6 733 05		Surface box - 8 (2 row x 4) module	8
Metal surface boxes				
1/6	6 890 21		Surface box - 12/16 (2 row x 6) module	12/16
1/4	6 890 22		surface box - 18 module	18

Myrius™

indicators, buzzer and detector - white



6730 36



6730 33



6730 34

Pack	Cat.Nos	Skirting light
1/5/25	6730 36	Skirting light with white LED

Pack	Cat.Nos	Bell indicator
20/200	6730 33	Bell indicator - 240 V~

Pack	Cat.Nos	Buzzer
20/200	6730 34	Buzzer - 230 V~

Pack	Cat.Nos	Sensor
1/10	6730 32	Infra red sensor - 300 W

Pack	Cat.Nos	Remote unit
1/5/20	6730 73	Remote control switch

Number of modules

3

1

1

2

4

Myrius™

access control (hospitality functions), sockets and connectors - white



6730 40



6730 50



6730 51



6730 52



6730 53



6730 56

Pack	Cat.Nos	Keyfob switch
1/10	6730 37	15 A key fob switch
1/10	6732 37	15 A key card switch - white
1/10/100	6730 38	Only key fob for switch Cat.No 6730 37 & 6732 37

Pack	Cat.Nos	"Do not disturb" and MMR control unit
10/100	6730 39	External unit
10/100	6730 40	Internal unit

Pack	Cat.Nos	Shaver socket
1/5/20	6730 49	Shaver Socket - 230 V / 120 - 230 V
1/5	6730 79	Shaver Socket - white 230 V / 120 - 230 V

Pack	Cat.Nos	TV socket
20/200	6730 50	TV Socket
10/100	6730 51	TV / Sat / FM - 6 shielded socket

Pack	Cat.Nos	Data & voice
20/200	6730 52	RJ-11 Telephone socket with transparent shutter
20/200	6730 53	RJ-11 Double telephone Socket with shutter
20/200	6730 54	UTP Cat 5e information outlets toolless system
20/200	6730 55	UTP Cat 6
10/100	6730 56	UTP Cat 6

Number of modules
Monobloc
with plate - 2 M
Monobloc
with plate - 2 M

1+1
1+1

Monobloc
with plate - 4 M
Monobloc
with plate - 4 M

1
2

1
1
1
1
2

Myrius™

connectors, controllers, protectors and accessories - white



6730 57 6730 58 6730 63 6730 31 6730 70 6730 60

Pack	Cat.Nos	Audio & video connector	Number of modules
1/10	6730 57	3 x female RCA	1
10/100	6730 58	3 pole XLR sockets	2
1/10	6730 59	Female HD 15	2
Sound (Volume controller)			
1/10/100	6730 63	Suitable for 8 Ohms, 3 Watts (RNS) speaker	2
Motor starter			
1/10/100	6730 30	16 A Motor starter	2
1/10/100	6730 31	25 A Motor starter	2
RCBO			
1/1	6730 78	Single pole + Neutral - 30 mA, 16 A - 230 VA	2
VSP			
20/200	6730 70	Surge Filter (VSP) - 230 V~	1
Accessories			
20/200	6730 60	Cable outlet - 8 mm	1
20/200	6730 61	Blanking plate	1
10/100	6730 62	Blanking plate	2
10/200	0802 90	Panel mounting support	1
10/200	0802 91	Panel mounting support	2
10/100	0802 99	Din rail mounting support	2

Myrius™

anti-bacterial switches & accessories - white



6730 84 6730 86 6730 81 0787 00 6730 95

Pack	Cat.Nos	Myrius antibacterial switches & accessories - white	Number of modules
20/200	6730 84	6 A switch 1 W	1
20/200	6730 85	6 A switch 2 W	1
20/200	6730 86	6 A bell push	1
20/200	6730 89	16 A switch 1 way	1
20/200	6730 90	16 A switch 2 way	1
1/10/100	6730 92	Fan regulator 120 W	2
10/100	6730 93	Multistandard socket	2
20/200	6730 94	6 A 5 pin universal socket	2
5/50	6730 95	6/16 A socket	3
1/10	0787 00	Equipotential socket - antibacterial	1
20/200	6730 98	TV socket	1
20/200	6730 99	RJ 11 telephone socket	1
20/200	6730 81	RJ-45 cat 6 UTP	1
20/200	6730 82	Blanking plate	1
20/200	6732 45	1 Module plate + frame	1
20/200	6732 46	2 Module plate + frame	2
10/100	6732 47	3 Module plate + frame	3
10/100	6732 48	4 Module plate + frame	4
5/50	6732 49	8 Module plate + frame (horizontal)	8
5/25	6732 50	8 Module plate + frame (4 x 2)	8
1/10	6732 52	16 Module plate + frame	16



BTS Certificate available on request.

Myrius™

switches, energy sockets and accessories - black & red



Pack	Cat.Nos	Switches
		6 A - 230 V~
20/200	6731 00	6 A Switch 1 W
20/200	6731 01	6 A Switch 2 W
20/200	6731 02	6 A Switch 1 W with indicator
20/200	6731 03	6 A Switch 1 W with "Light" marking
20/200	6731 04	6 A Switch 1 W with "Fan" marking
		10 A - 230 V~
10/100	6731 05	10 A Switch 1 W
10/100	6731 06	10 A Switch 2 W
10/100	6731 17	10 A Intermediate switch
10/100	6731 07	10 A Switch 1 W with indicator
		16 A - 230 V~
20/200	6731 08	16 A Switch 1 way
20/200	6731 09	16 A Switch 2 way
20/200	6731 10	16 A Switch 1 way with indicator
		20 A - 230 V~
20/200	6731 11	20 A 1 W switch
10/100	6731 12	20 A 1 W DP switch
10/100	6731 13	20 A 1 W DP switch with indicator
10/100	6731 14	20 A 2 W switch
		25 A - 230 V~
20/200	6731 15	25 A SP 1 W switch with indicator
		32 A - 230 V~
10/100	6731 16	32 A DP switch with indicator

Number of modules

- 1
- 1
- 1
- 1
- 1
- 2
- 2
- 2
- 2
- 1
- 1
- 1
- 1
- 2
- 2
- 2
- 2
- 1
- 2

Pack	Cat.Nos	Push buttons
20/200	6731 18	6 A push button SP
20/200	6731 19	6 A push button SP with indicator
20/200	6731 20	6 A Bell push
20/200	6731 21	6 A Bell push with indicator
10/100	6731 22	6 A Bell push
10/100	6731 23	6 A Bell Push with indicator
		Accessories for switches with indicator
5/50	6732 44	Lamp for switches / push buttons
		Socket
20/200	6731 41	6/16 A 2 Pin Euro US socket
5/50	6731 42	16 A 3 Pin switched socket
10/100	6731 43	Multistandard socket
20/200	6731 44	6 A 5 Pin with universal socket
5/50	6731 83	6/16 A socket
10/100	6731 45	6/16 A socket
10/100	6731 46	6/16 A - Euro socket
10/100	6731 47	25 A socket
		Red socket
5/50	6730 48	16 A Switched socket

Number of modules

- 1
- 1
- 1
- 1
- 2
- 2
- 1
- 1
- 1
- 3
- 3
- 2
- 2
- 3
- 2
- 2
- 2
- 2
- 3

Myrius™

dimmer, regulators, switches and accessories - black



6731 27

6731 36

6731 33

6731 34

6731 32

Pack	Cat.Nos	Dimmers & regulators	Number of modules
1/5/50	6731 24	Rotary dimmer 400 W	1
1/10	6731 25	Rotary dimmer 650 W	3
1/10	6731 26	Compact fluorescent lamp dimmer (Universal load)	2
1/5/50	6731 27	Fan step regulator 100 W	1
1/10/100	6731 29	Fan step regulator 100 W	2
1/10/100	6731 28	Fan step regulator 120 W	2
1/10/100	6731 77	Fan step regulator for energy saving fans	2
Skirting light			
1/5/25	6731 36	Skirting light with white LED	3
Bell indicator			
20/200	6731 33	Bell indicator- 240 V~	1
Buzzer			
20/200	6731 34	Buzzer - 230 V~ sound level 72dB at 1 meter distance	1
Sensor			
1/10	6731 32	Infra red sensor - 300 W	2
Remote unit			
1/5/20	6731 73	Remote control switch	4

Myrius™

access control (hospitality functions), sockets and connectors - black



6731 40

6731 50

6731 51

6731 52

6731 53

Pack	Cat.Nos	Key fobe switch	Number of modules
1/10	6731 37	15 A key fob switch with timedelay 30 sec.	Monobloc with plate - 2 M 2
1/10	6732 67	15 A key fob switch - black	
1/10/100	6730 38	Only key fob for switch Cat.No 6731 37 & 6732 67	
"Do not disturb" and MMR control unit			
10/100	6731 39	External unit	1+1
10/100	6731 40	Internal unit	1+1
Shaver socket			
1/5/20	6731 49	Shaver socket - 220/240 V - 50/60 Hz	Monobloc with plate - 4 m Monobloc with plate - 4 m
1/5	6731 79	Shaver socket - black 230 V /120 - 230 V	
TV socket			
20/200	6731 50	TV Socket	1 2
10/100	6731 51	TV / Sat / FM - shielded socket 0 - 2400 MHz	
Data & voice			
20/200	6731 52	RJ-11 Telephone socket with transparent shutter	1
20/200	6731 53	RJ-11 Double telephone socket with shutter	1
20/200	6731 54	UTP Cat 5e - RJ 45 information outlets	1
20/200	6731 55	UTP Cat 6	1
10/100	6731 56	UTP Cat 6	2

Bold catalogue numbers are products normally available with Legrand (India) stockists. **Cat.Nos that are not bold** - delivery within 4 - 8 weeks from the date of order. **Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

Red catalogue numbers : new products

Myrius™

connectors, controllers, protectors and accessories - black



6731 59



6731 63



6731 70

Pack Cat.Nos Audio & video connector

Pack	Cat.Nos	Description
1/10	6731 57	3 x female RCA
10/100	6731 58	3 pole XLR sockets
1/10	6731 59	Female HD 15

Sound

Pack	Cat.Nos	Description
1/10/100	6731 63	Suitable for 8 Ohms, 3 Watts (RNS) speaker

Motor starter

Pack	Cat.Nos	Description
1/10/100	6731 30	16 A Motor starter
1/10/100	6731 31	25 A Motor starter

VSP

Pack	Cat.Nos	Description
20/200	6731 70	Surge filter (VSP) - 230 V~

Accessories

Pack	Cat.Nos	Description
20/200	6731 60	Cable outlet - 8 mm
20/200	6731 61	Blanking plate

Myrius™

plastic plates - white



6732 01



6732 02



6732 03



6732 11



6732 42

Pack Cat.Nos White plates with frame

Pack	Cat.Nos	Description
20/200	6732 01	White plate - 1 module
20/200	6732 02	White plate - 2 modules
10/100	6732 03	White plate - 3 modules
10/100	6732 04	White plate - 4 modules
5/50	6732 06	White plate - 6 modules
5/50	6732 08	White plate - 8 modules (Horizontal)
5/25	6732 09	White plate - 8 modules (4 x 2)
1/10	6732 12	White plate - 12 modules
1/10	6732 16	White plate - 16 modules
1/10	6732 18	White plate - 18 modules

New white plates with frame*

Pack	Cat.Nos	Description	Dimensions (mm) H x W
20/200	6732 11	1 module plate + Frame	86 x 86
20/200	6732 42	2 module plate + Frame	86 x 86
10/100	6732 13	3 module plate + Frame	86 x 121
10/100	6732 14	4 module plate + Frame	86 x 146
5/50	6732 66	6 module plate + Frame	86 x 224
5/50	6732 68	8 module plate + Frame (Horizontal)	86 x 245
5/25	6732 69	8 module plate + Frame (4 x 2)	172 x 146
1/10	6732 62	12 module plate + Frame	172 x 224
1/10	6732 56	16 module plate + Frame	172 x 227
1/10	6732 58	18 module plate + Frame	240 x 224

Number of modules

1

2

2

2

2

2

1

1

1

* The new plate range will be introduced shortly.

Bold catalogue numbers are products normally available with Legrand (India) stockists. **Cat.Nos that are not bold** - delivery within 4 - 8 weeks from the date of order. **Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

Red catalogue numbers : new products

Myrius™ plastic plates - black



6732 21



6732 22



6732 23



6732 24

Pack	Cat.Nos	Black plates with frame	Dimensions (mm) H x W
20/200	6732 21	Black plate - 1 module	86 x 86
20/200	6732 22	Black plate - 2 modules	86 x 86
10/100	6732 23	Black plate - 3 modules	86 x 121
10/100	6732 24	Black plate - 4 modules	86 x 146
5/50	6732 26	Black plate - 6 modules	86 x 224
5/50	6732 28	Black plate - 8 modules (Horizontal)	86 x 245
5/25	6732 29	Black plate - 8 modules (4 x 2)	172 x 146
1/10	6732 32	Black plate - 12 modules	172 x 224
1/10	6732 36	Black plate - 16 modules	172 x 227
1/10	6732 38	Black plate - 18 modules	240 x 224

Pack	Cat.Nos	New black plates with frame#	Dimensions (mm) H x W x D
20/200	6732 31	1 module plate + Frame	86 x 86
20/200	6732 82	2 modules plate + Frame	86 x 86
10/100	6732 33	3 modules plate + Frame	86 x 121
10/100	6732 34	4 modules plate + Frame	86 x 146
5/50	6732 86	6 modules plate + Frame	86 x 224
5/50	6732 88	8 modules plate + Frame (Horizontal)	86 x 245
5/25	6732 89	8 modules plate + Frame (4 x 2)	172 x 146
1/10	6732 92	12 modules plate + Frame	172 x 224
1/10	6732 96	16 modules plate + Frame	172 x 227
1/10	6732 98	18 modules plate + Frame	240 x 224

The new plate range will be introduced shortly.

Bold catalogue numbers are products normally available with Legrand (India) stockists. **Cat.Nos that are not bold** - delivery within 4 - 8 weeks from the date of order. **Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

Red catalogue numbers : new products

Myrius™ flush mounting boxes and surface mounting boxes



6890 07



6890 09



6733 02



6733 04

Pack	Cat.Nos	Flush mounting boxes	Dimensions (mm) H x W x D
40	6890 07	1/2 modules	76.5 x 76.5 x 51.0
40	6890 08	3 modules	76.5 x 99.7 x 51.0
40	6890 09	4 modules	76.5 x 136.8 x 51.0
40	6890 10	6 modules	76.5 x 214.2 x 51.0
40	6890 42	8 modules (specific)	76.5 x 214.2 x 51.0
20	6890 31	8 modules (2 row x 4)	136.8 x 136.6 x 61
10	6890 11	12 (2 row x 6) modules	145.3 x 215 x 61.2
		16 (2 row x 8) modules	
		Metal box	
10	6890 12	18 modules (3 row x 6)	213.3 x 215 x 61.2
		Metal box	

Pack	Cat.Nos	Surface mounting boxes	Dimensions (mm) H x W x D
10/50	6733 02	1 module	86 x 86 x 45
5/35	6733 03	1+2 modules	86 x 121 x 45
5/25	6733 04	1+1+2 modules	86 x 146 x 45
1/10	6733 06	6 x 1 modules	86 x 224 x 45
1/5	6733 08	8 x 1 modules	86 x 245.2 x 45
1/5	6733 05	8 (2 row x 4) modules	172 x 146 x 45
1/6	6890 21	12 (2 row x 6) modules	172 x 224 x 50
		16 (2 row x 8) modules	
1/4	6890 22	18 (3 row x 6) modules	240 x 224 x 50

Guarantee

- The Company at its discretion, will replace products if they have any manufacturing defect within 10 years for switches (without neon lamp) and power sockets. For all other Myrius™ wiring accessories the guarantee will be 2 years.
- The above guarantee is applicable when the devices are used in Legrand metal flush boxes. Other wise the guarantee period will be reduced by 50%.
- The guarantee is only applicable when the products are installed as per the Company's instructions and not tampered in any manner.
- The guarantee states the Company's entire liability. It does not extend to cover consequential loss or damage or installation costs arising from defective products.

Mylinc™


A little touch of genius

WALLS GET SMARTER AND BEAUTIFUL.



 **legrand**®

LIVE THE ADVANTAGE



Remote Control Unit for Lights and Fan



RJ45 Socket with Shutter



25A Switch



Modular MCB



360° Rotation Fan Regulator



Skirting Light




USB Charger




Do Not Disturb & Make My Room Indicators



Motor Starter





USB Charger in 1000 mA and 2000 mA capacities – IS Certified and tested under our stringent quality process, plug your electric and wifi enabled gadgets. Enjoy uninterrupted.

Mylic™ plates

modular white plates with frame



6755 61

6755 62

6755 69

Pack	Cat.Nos	White plates	Dimensions (mm) H x W	MRP*
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.		
		White plates		
20/200	6755 61	For 1 module (square)	86 x 86	
20/200	6755 62	For 2 modules (square)	86 x 86	
10/100	6755 63	For 3 modules	86 x 121	
10/100	6755 64	For 4 modules	86 x 146	
5/50	6755 66	For 6 modules (2 column x 3)	86 x 224	
5/50	6755 67	For 8 modules (2 column x 4)	86 x 245	
5/25	6755 68	For 8 modules (2 row x 4)	172 x 146	
5/50	6755 69	For 9 modules (3 column x 3)	86 x 288	
10	6755 72	For 12 modules (2 row x 2 column x 3)	172 x 224	
10	6755 73	For 16 modules (for specific box)	172 x 245	
10	6755 78	For 18 modules (3 row x 2 column x 3)	240 x 224	

*MRP - Maximum Retail Price Inclusive of all taxes.

Mylic™ plates

modular matt grey plates with frame



6763 50

6763 52

6763 55

Pack	Cat.Nos	Modular matt grey plates	Dimensions (mm) H x W	MRP*
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.		
		Matt grey plates		
20/200	6763 50*	For 1 module (square)	86 x 86	
20/200	6763 51	For 2 modules (square)	86 x 86	
10/100	6763 52	For 3 modules	86 x 121	
10/100	6763 53	For 4 modules	86 x 146	
5/50	6763 54*	For 6 modules (2 column x 3)	86 x 224	
5/50	6763 55*	For 8 modules (2 column x 4)	86 x 245	
5/25	6763 56*	For 8 modules (2 row x 4)	172 x 146	
5/50	6763 57	For 9 modules (3 column x 3)	86 x 288	
10	6763 58*	For 12 modules (2 row x 2 column x 3)	172 x 224	
10	6763 59	For 18 modules (3 row x 2 column x 3)	240 x 224	

* to be shortly introduced
 *MRP - Maximum Retail Price Inclusive of all taxes.
 N = New

Myline™ plates

modular colour plates with frame



6763 60 6763 62



6763 65



6763 70 6763 72



6763 75

Pack	Cat.Nos	Modular colour plates		Dimensions (mm) H x W	MRP*
		Pearl white finish			
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.			
10/100	6763 60		For 1 module (square)	86 x 86	
10/100	6763 61		For 2 modules (square)	86 x 86	
10/100	6763 62		For 3 modules	86 x 121	
10/100	6763 63		For 4 modules	86 x 146	
5/50	6763 64*		For 6 modules (2 column x 3)	86 x 224	
5/50	6763 65*		For 8 modules (2 column x 4)	86 x 245	
5/25	6763 66*		For 8 modules (2 row x 4)	172 x 146	
5/50	6763 67*		For 9 modules (3 column x 3)	86 x 288	
5/25	6763 68*		For 12 modules (2 row x 2 column x 3)	172 x 224	
5/25	6763 69*		For 18 modules (3 row x 2 column x 3)	240 x 224	

* to be shortly introduced
 *MRP - Maximum Retail Price Inclusive of all taxes.
 N = New

Pack	Cat.Nos	Modular colour plates		Dimensions (mm) H x W	MRP*
		Champagne finish			
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.			
10/100	6763 70*		For 1 module (square)	86 x 86	
10/100	6763 71*		For 2 modules (square)	86 x 86	
10/100	6763 72*		For 3 modules	86 x 121	
10/100	6763 73*		For 4 modules	86 x 146	
5/50	6763 74*		For 6 modules (2 column x 3)	86 x 224	
5/50	6763 75*		For 8 modules (2 column x 4)	86 x 245	
5/25	6763 76*		For 8 modules (2 row x 4)	172 x 146	
5/50	6763 77*		For 9 modules (3 column x 3)	86 x 288	
5/25	6763 78*		For 12 modules (2 row x 2 column x 3)	172 x 224	
5/25	6763 79*		For 18 modules (3 row x 2 column x 3)	240 x 224	

* to be shortly introduced
 *MRP - Maximum Retail Price Inclusive of all taxes.
 N = New


Mylinc™ plates

modular colour plates with frame



6763 80

6763 82




6763 85



6763 90

6763 92



6763 95

Pack	Cat.Nos	Modular colour plates		Dimensions (mm) H x W	MRP*
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.			
		Silver alu finish			
10/100	6763 80		For 1 module (square)	86 x 86	
10/100	6763 81		For 2 modules (square)	86 x 86	
10/100	6763 82		For 3 modules	86 x 121	
10/100	6763 83		For 4 modules	86 x 146	
5/50	6763 84*		For 6 modules (2 column x 3)	86 x 224	
5/50	6763 85*		For 8 modules (2 column x 4)	86 x 245	
5/25	6763 86*		For 8 modules (2 row x 4)	172 x 146	
5/50	6763 87*		For 9 modules (3 column x 3)	86 x 288	
5/25	6763 88*		For 12 modules (2 row x 2 column x 3)	172 x 224	
5/25	6763 89*		For 18 modules (3 row x 2 column x 3)	240 x 224	

* to be shortly introduced
 *MRP - Maximum Retail Price Inclusive of all taxes.
 = New

Pack	Cat.Nos	Modular colour plates		Dimensions (mm) H x W	MRP*
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.			
		Dark bronze finish			
10/100	6763 90		For 1 module (square)	86 x 86	
10/100	6763 91		For 2 modules (square)	86 x 86	
10/100	6763 92		For 3 modules	86 x 121	
10/100	6763 93		For 4 modules	86 x 146	
5/50	6763 94*		For 6 modules (2 column x 3)	86 x 224	
5/50	6763 95*		For 8 modules (2 column x 4)	86 x 245	
5/25	6763 96*		For 8 modules (2 row x 4)	172 x 146	
5/50	6763 97*		For 9 modules (3 column x 3)	86 x 288	
5/25	6763 98*		For 12 modules (2 row x 2 column x 3)	172 x 224	
5/25	6763 99*		For 18 modules (3 row x 2 column x 3)	240 x 224	

* to be shortly introduced
 *MRP - Maximum Retail Price Inclusive of all taxes.
 = New

Mylic™ surrounds

white modular surrounds



6755 81



6755 82

6755 89

Pack	Cat.Nos	White surrounds		Dimensions (mm) H x W	MRP*
		Superior finish, screwless appearance rounded corners, dust proof, for acrylic or hylem sheet or partition wall			
		White surrounds			
20/200	6755 81		For 1 module	61 x 34.4	
20/200	6755 82		For 2 modules	61 x 58	
10/100	6755 83		For 3 modules	61 x 81.6	
10/100	6755 84		For 4 modules	61 x 105.2	
10/100	6755 86		For 6 modules (2 column x 3)	61 x 162.5	
10/100	6755 89		For 9 modules (3 column x 3)	61 x 243.5	

*MRP - Maximum Retail Price Inclusive of all taxes.

Mylic™ boxes

flush boxes



6890 07



6890 09



6890 10



6890 11



6890 12

Pack	Cat.Nos	Flush boxes for Mylic™ plate		Dimensions (mm) H x W x D	MRP*
		Factory made metal sheet enclosure top, bottom, side and back wall knockout for conduit entry from any direction. Possible to break open knockout without any special tool.			
40	6890 07		1 or 2 module	76.5 x 76.5 x 51.0	
40	6890 08		3 modules	76.5 x 99.7 x 51.0	
40	6890 09		4 modules	76.5 x 136.8 x 51.0	
40	6890 10		6 modules	76.5 x 214.2 x 51.0	
40	6890 42		8 modules	77.3 x 232.8 x 51.0	
20	6890 31		8 modules (2 rows x 4)	136.8 x 136.6 x 61	
20	6890 29		9 modules	77.3 x 279.3 x 51.2	
10	6890 11		12 modules	145.3 x 215 x 61.2	
10	6890 13		16 modules	232.8 x 147.4 x 61.2	
10	6890 12		18 modules	213.3 x 215 x 61.2	

*MRP - Maximum Retail Price Inclusive of all taxes.

Mylic™ boxes

surface boxes



6733 03



6733 04



6890 21



6890 22

Pack	Cat.Nos	Plastic surface boxes for Mylic™ plate		
		Factory made enclosure offwhite shade top, bottom and back wall knockout for conduit entry / casing capping. Possible to break open knockout without any special tool.		
10/50	6733 02	1/2 modules	Dimensions (mm) H x W x D 86 x 86 x 45	MRP*
5/35	6733 03	3 modules	86 x 121 x 45	
5/25	6733 04	4 modules	86 x 146 x 45	
1/10	6733 06	6 modules	86 x 224 x 45	
1/5	6733 08	8 modules	86 x 245.2 x 45	
1/5	6733 05	8 modules (2 rows x 4)	172 x 146 x 45	
1/5	6740 99	9 modules	86 x 288 x 45	

*MRP - Maximum Retail Price Inclusive of all taxes.

Pack	Cat.Nos	Plastic surface boxes for Mylic™ plate		
		Factory made enclosure offwhite shade top, bottom and back wall knockout for conduit entry / casing capping. Possible to break open knockout without any special tool.		
1/6	6890 21	Metal surface box 12 module (2 row x 6)	Dimensions (mm) H x W x D 172 x 224 x 50	MRP*
1/4	6890 22	Metal surface box 18 module (3 row x 6)	240 x 224 x 50	

*MRP - Maximum Retail Price Inclusive of all taxes.